

ULTRATUFF

WORLDS NO. 1 RUBBERIZED NON-SKID COATING

POOL/DECK & SURFACE COATING

First Choice for Waterpark & Amusement Industry



Safety You Can Feel!

Heritage River Park, Marana, AZ

ULTRATUFF

Distributed by Diamond Safety Concepts

info@diamond-safety.com • www.diamond-safety.com

UltraTuff™ POOL/DECK & SURFACE COATINGS

UltraTuff™ Coatings are water-based, single-component products, created through a unique process of cross-linking urethanes, acrylics, and co-polymers, and utilizing recycled rubber crumb as an aggregate. These coatings are designed to provide an attractive, highly durable, impact-resistant, non-slip surface.

PERFORMANCE SPECIFICATIONS

- Water-Borne
- Single Pack
- UV-Resistant
- Chemical-Resistant
- Wide Color Range

ADHESION CHARACTERISTICS

- Concrete • Wood • Treated Lumber • Aluminum
- Steel • Fiberglass • Previously-Painted Surfaces

APPLICATION

Temperature: 40° F minimum; 120° F maximum
(air, surface, and material)

Relative Humidity: 85% maximum

Method:

Roll - Apply with only UltraTuff™ Rollers Spray - Superior Hopper Gun or Texture Sprayer

RECOMMENDED PRIMERS

(apply with any 3/8" nap rollers)

Primer CP-10 by UltraTuff™: Concrete, Wood, Painted Surfaces, and Fiberglass

Primer MP-10 by TUFFCOAT™: Metal

PACKAGING

1 Gallon - Weight: 12 lbs.

5 Gallon - Weight: 54.0 lbs.

Non-flammable, Non-hazardous, Non-HAZMAT

No shipping restrictions required

- No VOCs or Isocyanates
- Easy to Apply
- Environmentally-Friendly
- Non-Flammable
- Flexible

CHARACTERISTICS

Finish: Matte finish

Appearance: Textured colored liquid

Recommended Spread Rate:

Wet mils: 50-60

Dry mils: 35-40

Coverage: 40-45 Sq. Ft. in 2 coats

Drying Schedule

(@ 20 mils wet @ 50% RH, 72° F)

To Touch: Approximately 1 hour

To Top Coat: Approximately 1-2 hours

To Cure: Approximately 24 hours-5 days for full chemical cure

Shelf-Life: 1 year

Reducer: Water only

Clean up: Water only

TESTING COMPLETED

- Impact Resistance (ASTM D-2794)
- Adhesion Testing (ASTM D-4541-95)
- Chemical Resistance
- Fire Resistance
- Mar/Scuff Resistance
- Wearing Data (ASTM F-510)
- Coefficient of Friction (ASTM F-609)
- UV Resistance
- Elongation - 400%
- Hot Tire Pick Up Test

UltraTuff Products

PRODUCT

UT-100

UT-100AQ (Aqua)

UT-100SR (Smooth Rubber)

UT-100AQ SR (Aqua - Smooth)

UT-14/UT-14 F (Coarse, Black Only)

CP-10

MP-10

Roller

DESCRIPTION

Rubberized Deck Coating

Underwater Application for Pools, Ponds, Spas, Etc.

Fine Textured Rubberized Deck Coating

Fine Textured - Underwater Application for Pools, Ponds, Spas,

Etc. Heavy Industrial - Oil Rigs, Refineries, Ramps, Etc.

Water-Based Primer for Concrete, Wood, Fiberglass

Water-Based Metal Primer for Aluminum or Steel

Textured - Specifically Designed to Apply UltraTuff™ Coatings



Welk Resort, Escondido, CA

BEAUTY & SAFETY IN JUST **3** EASY STEPS...



1. CLEAN & PREP



2. PRIME




3. APPLY

IT'S THAT EASY!


UltraTuff™ POOL AND DECK COLORS



Light Blue




Caribbean Blue




Medium Blue




Waterpark Blue




Dark Blue



Green



Dark Green




Olive




White




Key West Sand



Sand



Tan



Dark Brown




Safety Yellow



Light Grey



Medium Grey



Dark Grey



Black



Red



Brick Red



Safety Orange

*Colors in this brochure are not exact, and may vary.



Centennial Park, CO



Made In The USA



MEMBERSHIPS & ENDORSEMENTS:



National Recreation and Park Association



IDEAL APPLICATIONS

- Splash Pads
- Kiddie Pools
- Wave Pools
- Deck Surfaces
- Walkways
- Catch Pools
- Wet Rides
- Carnival Rides
- Restroom Floors
- Locker Room Floors
- Stairs
- Steps
- Ramps
- Food Prep
- Kiosks

"I've applied a lot of deck coatings in my time, but **UltraTuff™** is by far the easiest to apply and the customers really like it. We've had this product on decks for almost 15 years and it still looks great."

Scott O'Conner - President, Superior Coatings, Miami, FL

"We've coated 15 rides and numerous surfaces over the last 10 years and **UltraTuff™** performed excellent."

Brian Tennis - Safety Engineer, Universal Studios, CA

"We had **UltraTuff™** applied to all of our pool decks, and not only did it beautify the area, but we have had zero slip fall complaints."

Fran Mattinson - Director of Guest Relations, Welk Resort, CA


"We are on our 9th year using **UltraTuff™** products in our pools and on our decks and I am very pleased with the durability and ease of use. I would highly recommend **UltraTuff™** to anyone."

Dennis Perez - Maintenance Director, Raging Waters, CA

"Simple to apply with little or no disruption of our guests, and it works great."

Bob Barth - Engineering, Hilton Hotel, Milwaukee City Center, WI

Safety You Can Feel!



Stratosphere, Las Vegas



Parques Aquaticos, Columbia